



SUGGESTED RAMP BERM EXIT PLATE  
8" / 12" DECK TO GRADE/DB/RESILIENT SURFACING INSTALLATION  
REFER TO RAMP BERM EXIT PLATE INSTALLATION SHEET

TOTAL SQUARE FOOTAGE  
4975 SQFT SAFETY ZONE


PlayBooster®  
(5-12 years)  
Max Fall Height: 79 inches

TOTAL ELEVATED PLAY COMPONENTS	25		
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	20	REQUIRED	13
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	5	REQUIRED	0
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	14	REQUIRED	0
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	14	REQUIRED	14




159881  
18X18-8'HEIGHT  
SHADE PYRAMID

PYRAMID POST  
REQUIRE  
60" BURY



159881  
18X18-8'HEIGHT  
SHADE PYRAMID

PYRAMID POST  
REQUIRE  
60" BURY



Estimated manufacturing time:  
6 weeks from the time of  
LSI order acceptance, or receipt of  
SkyWoys release of fabrication  
form if applicable.

landscape  
structures



The play components identified on this plan are IPEMA certified. (Unless model number is preceded with \*) The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit [www.ipema.org](http://www.ipema.org)

THIS PLAY AREA & PLAY EQUIPMENT IS  
DESIGNED FOR AGES 5-12 YEARS  
UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURERS OPINION THAT  
THIS PLAY AREA DOES CONFORM TO  
THE A.D.A. ACCESSIBILITY STANDARDS,  
ASSUMING AN ACCESSIBLE PROTECTIVE  
SURFACING IS PROVIDED, AS INDICATED, OR  
WITHIN THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS BASED ON  
INFORMATION AVAILABLE TO US. PRIOR TO  
CONSTRUCTION, DETAILED SITE INFORMATION  
INCLUDING SITE DIMENSIONS, TOPOGRAPHY, EXISTING  
UTILITIES, SOIL CONDITIONS, AND DRAINAGE  
SOLUTIONS SHOULD BE OBTAINED, EVALUATED, &  
UTILIZED IN THE FINAL DESIGN. PLEASE VERIFY ALL  
DIMENSIONS OF PLAY AREA, SIZE, ORIENTATION, AND  
LOCATION OF ALL EXISTING UTILITIES, EQUIPMENT,  
AND SITE FURNISHINGS PRIOR TO ORDERING. SLIDES  
SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT  
HAS A CRITICAL HEIGHT VALUE TO MEET THE  
MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF.  
ASTM F1487 STANDARD CONSUMER SAFETY  
PERFORMANCE SPECIFICATION FOR PLAYGROUND  
EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT  
REVISION). THE SUBSURFACE MUST BE WELL  
DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY  
IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER  
FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

DESIGNED BY:

COPYRIGHT: 11/24/21  
LANDSCAPE STRUCTURES, INC.  
601 7th STREET SOUTH - P.O. BOX 198  
DELANO, MINNESOTA 55328  
PH: 1-800-328-0035 FAX: 1-763-972-6091

Date Previous Drawing # Initials

Metropolitan  
Multi Service Center

Landscape Structures

SYSTEM TYPE:  
PlayBooster

DRAWING #:  
1158374-01-01

