

TOTAL SQUARE FOOTAGE
2377 SQ FT

*CP000270 DTR PB 216" STEEL ROOF POST FOR 96" DECK.
*CP000270 DTR PB 216" STEEL ROOF POST FOR 96" DECK.
*CP000270 DTR PB 216" STEEL ROOF POST FOR 96" DECK.

6"/8" RISE KICKPLATE (R-F) QTY. (3)

182503 WELCOME SIGN (LS PROVIDED) 5-12 YEARS

5-12 AREA

2-5 AREA

5-12 AREA

*CP001083 NO BEACH BALL GLOBAL MOTION

214441 WVO METALPHONE

214445 KETTLE DRUM

214442 GRANDESSE CHIMES

214444 KIBZU DRUM

156915 POOL CLIMBER W/PERM HANDHOLD

158998 POOL CLIMBER 20" HEIGHT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

166809 E-POD/SEAT

SLR
landscape
structures



The play components identified on this plan are IPMA certified. (Unless model number is preceded with *) The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit www.ipma.org

IT IS THE MANUFACTURERS OPINION THAT THIS PLAY AREA DOES CONFORM TO THE A.D.A. ACCESSIBILITY STANDARDS, ASSUMING AN ACCESSIBLE PROTECTIVE SURFACING IS PROVIDED, AS INDICATED, OR WITHIN THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS BASED ON INFORMATION AVAILABLE TO US, PRIOR TO CONSTRUCTION. DETAILED SITE INFORMATION INCLUDING SITE DIMENSIONS, TOPOGRAPHY, EXISTING UTILITIES, SOIL CONDITIONS, AND DRAINAGE SOLUTIONS SHOULD BE OBTAINED, EVALUATED, & UTILIZED IN THE FINAL DESIGN. PLEASE VERIFY ALL DIMENSIONS OF PLAY AREA, SIZE, ORIENTATION, AND LOCATION OF ALL EXISTING UTILITIES, EQUIPMENT, AND SITE FURNISHINGS PRIOR TO ORDERING. SLIDES SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT HAS A CRITICAL HEIGHT VALUE TO MEET THE MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF. ASTM F1487 STANDARD CONSUMER SAFETY PERFORMANCE SPECIFICATION FOR PLAYGROUND EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT REVISION). THE SUBSURFACE MUST BE WELL DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

DESIGNED BY:

COPYRIGHT: 11/30/21
LANDSCAPE STRUCTURES, INC.
601 7th STREET SOUTH - P.O. BOX 198
DELANO, MINNESOTA 55328
PH: 1-800-328-0035 FAX: 1-763-972-6091

Date Previous Drawing # Initials

5-12 AREA

PlayBooster®
(5-12 years)
Max Fall Height: 105 inches

TOTAL ELEVATED PLAY COMPONENTS	6		
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	5	REQUIRED	3
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	5	REQUIRED	2
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	5	REQUIRED	5


Estimated manufacturing time:
80 weeks from the time of
LSI order acceptance, or receipt of
SkyWays release of fabrication
form if applicable.

PlayShaper®
(2-5 years)

2-5 AREA

TOTAL ELEVATED PLAY COMPONENTS	0		
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	0	REQUIRED	0
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	3	REQUIRED	0
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	3	REQUIRED	3

SCALE IN FEET:



J. Franklyn Bourne Park

Landscape
Structures

SYSTEM TYPE:
PlayBooster/PlayShaper

DRAWING #:
1160418-01-01

