

Estimated manufacturing time
 10 days from the date of
 order. Delivery to site of
 components is by truck.


5-12 AREA

TOTAL ELEVATED PLAY COMPONENTS	34		
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	10	REQUIRED	9
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	18	REQUIRED	17
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	17	REQUIRED	12
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	10	REQUIRED	10

Estimated manufacturing time
 10 days from the date of
 order. Delivery to site of
 components is by truck.

2-5 AREA (INCLUDES FULL BUCKET SWINGS)

TOTAL ELEVATED PLAY COMPONENTS	0		
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY RAMP	0	REQUIRED	0
TOTAL ELEVATED COMPONENTS ACCESSIBLE BY TRANSFER	0	REQUIRED	0
TOTAL ACCESSIBLE GROUND LEVEL COMPONENTS SHOWN	23	REQUIRED	0
TOTAL DIFFERENT TYPES OF GROUND LEVEL COMPONENTS	13	REQUIRED	13



Highbanks Recreation
Area

Landscape
Structures, Inc.

SYSTEM TYPE:
PlayBooster

DRAWING #:
1178781-01-01




 landscape
structures



The play components identified on this plan
 are IPMA certified. (Unless model number
 is preceded with *) The use and layout of
 these components conform to the
 requirements of ASTM F1487. To verify
 product certification, visit www.ipma.org

THIS PLAY AREA & PLAY EQUIPMENT IS
 DESIGNED FOR AGES 2-12 YEARS
 UNLESS OTHERWISE NOTED ON PLAN.

IT IS THE MANUFACTURER'S OPINION THAT
 THIS PLAY AREA DOES CONFORM TO
 THE A.D.A. ACCESSIBILITY STANDARDS,
 ASSUMING AN ACCESSIBLE PROTECTIVE
 SURFACING IS PROVIDED, AS INDICATED, OR
 WITHIN THE ENTIRE USE ZONE.

THIS CONCEPTUAL PLAN WAS BASED ON
 INFORMATION AVAILABLE TO US. PRIOR TO
 CONSTRUCTION, DETAILED SITE INFORMATION
 INCLUDING SITE DIMENSIONS, TOPOGRAPHY, EXISTING
 UTILITIES, SOIL CONDITIONS, AND DRAINAGE
 SOLUTIONS SHOULD BE OBTAINED, EVALUATED, &
 UTILIZED IN THE FINAL DESIGN. PLEASE VERIFY ALL
 DIMENSIONS OF PLAY AREA, SIZE, ORIENTATION, AND
 LOCATION OF ALL EXISTING UTILITIES, EQUIPMENT,
 AND SITE FURNISHINGS PRIOR TO ORDERING. SLIDES
 SHOULD NOT FACE THE HOT AFTERNOON SUN.

CHOOSE A PROTECTIVE SURFACING MATERIAL THAT
 HAS A CRITICAL HEIGHT VALUE TO MEET THE
 MAXIMUM FALL HEIGHT FOR THE EQUIPMENT (REF.
 ASTM F1487 STANDARD CONSUMER SAFETY
 PERFORMANCE SPECIFICATION FOR PLAYGROUND
 EQUIPMENT FOR PUBLIC USE, SECTION 8 CURRENT
 REVISION). THE SUBSURFACE MUST BE WELL
 DRAINED. IF THE SOIL DOES NOT DRAIN NATURALLY
 IT MUST BE TILED OR SLOPED 1/8" TO 1/4" PER
 FOOT TO A STORM SEWER OR A "FRENCH DRAIN".

ACCESSIBLE/PROTECTIVE
 LOOSE FILL MATERIAL
 (ENGINEERED WOOD FIBER SUGGESTED)

IT IS THE MANUFACTURER'S OPINION AND
 INTENT THAT THE LAYOUT OF THESE
 COMPONENTS CONFORM WITH THE
 U.S. CONSUMER PRODUCT
 SAFETY COMMISSION'S (CPSC)
 "HANDBOOK FOR PUBLIC PLAYGROUND SAFETY".

DESIGNED BY:

COPYRIGHT: 9/19/23
 LANDSCAPE STRUCTURES, INC.
 601 7th STREET SOUTH - P.O. BOX 198
 DELANO, MINNESOTA 55328
 PH: 1-800-328-0035 FAX: 1-763-972-6091

Date Previous Drawing # Initials