


## NOTES

1. Product may require a strainer on the water feed line.  
Consult with manufacturer.
2. Do not exceed 20 feet per second velocity.
3. Product specifications are subject to change.




TOP VIEW



See mounting options

## SPLASH ZONE




Splash Zone-Not to Scale

## Splash Zone Notes:

Splash zones are approximate, actual splash may vary based on various environmental conditions, flow rates, slope of splash pad, submergence depth and wind.

## WATER EFFECT



## PRODUCT OPTIONS

### Structure:

Stainless Steel  
(see specification for details)

## DATA

High flow: 10 GPM  
Low flow: 5 GPM  
Ultra low flow: 1 GPM  
Pressure: 3 PSI

\*\*Not for Construction\*\*



1101 McKinley Parkway  
Delano, MN 55328  
888-438-6574  
763-972-5200  
aquatix.playlsi.com

## ARCH JET NOZZLE SST

DRAWN BY	CTS	SCALE	NTS	DATE	1/10/19
REVISED BY	DAB	REVISION LETTER	B	REVISION DATE	2/10/25

This drawing is issued in confidence for engineering information only. This drawing shall remain the property of Aquatix and may not be reproduced, disclosed to a third party, or used to manufacture anything without direct written permission from Aquatix. Unauthorized use shall entitle Aquatix to all damages caused by such user including preparation charges, lost profits, damage to reputation and attorney's fees.